


Minimum de jeu par porte : 1.5 mm pour offrir la distance
Les valeurs du tableau s'appliquent à des portes avec réglage de 5

Distance boîtier C	Épaisseur de porte										
	16	18	17	18	19	20	21	22	23	24	25
3	15.5	15.7	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
4	15.5	15.7	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
4.5	15.5	15.7	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
5	15.5	15.7	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
6	15.5	15.7	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5

Retrait de charnière H
Ensemblement de porte F
distance D
et boîtier distance 3

Épaisseur	16	17
15.5	15.5	1.5
15.6	15.6	1.5
15.7	15.7	1.5



1 - distance de boîtier C

Distance boîtier C	Épaisseur de porte										
	16	18	17	18	19	20	21	22	23	24	25
3	15.5	15.7	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
4	15.5	15.7	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
4.5	15.5	15.7	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
5	15.5	15.7	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
6	15.5	15.7	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5

Réglage de jeu = 0.5 + 1.5

